

## Product Specifications

### Lifting Bathtub GK MAGIC 3000

with **electronic control touch panel, electrically height-adjustable**

#### Description

- Activation of bathing system only with magnetic access card
- Tub body and casing constructed of fibreglass with a gelcoated surface
- Console made of ABS plastic with lockable lid
- 4 height-adjustable feet
- Grab handles provided for enhanced safety
- Circulating rubber protection for tub
- Ergonomically designed tub ensures greater movement for user and ease of use by the caregiver
- Touch panel for operating of electronic functions with digital display for bath-, shower- and fill-in-temperature
- Pre-fill with three automatic pre-set levels - manually interruptible and refillable at any time
- Diagnostic service display allows the user to quickly identify bathing system's service requirements
- Adjustment of temperature via touch panel
- Electronic monitoring of temperature for fill-in and shower, with two independently controlled scald protection systems
- Tub body with incorporated grooves for tub shorter plate
- Patient shower with white hose 2,100 mm (6' 11"), self-closing valve and integrated sensors for automatic activation, deactivation and depressurisation
- Shower bracket provided with integrated draining tray for residual water from shower head
- Power conservation feature - automatically shuts off unit after bathing process is complete
- Automatic drain system operated via touch panel, drain will close automatically
- Two electric actuators for height-adjustment to any level
- Up/Down-function of tub controlled through backlit buttons on the touch panel
- Battery for emergency lowering
- Standard, commercially available valves and fittings
- System is self-supporting, without necessary floor or wall mounting

#### Technical Specifications

##### **Connections:**

- Hot and cold water, connector ¾"
- Drain Ø 50 mm (2")
- Electrical requirements 230 V / 50 Hz; for other countries 115 V / 60 Hz

##### **Dimensions:**

- Height: 1250 mm (4' 1") – max. 1650 mm (5' 5"), Width: 930 mm (3' 1"), Length: 2240 mm (7' 4")

##### **Working Height:**

- Adjustable from 650 mm (2' 2") – 1050 (3' 5") mm

##### **Water Consumption for a Bath:**

- Approx. 250 litres

#### Certificates

- ÖVGW, CE mark

**Make:** Krämer  
**Type:** GK MAGIC 3000  
**Art.No.:** 4.300.00

## Product Specifications

### Options for GK MAGIC 3000

#### Injector Disinfection

- Disinfection controlled by advanced microprocessor and integrated, adjustable flow gauge
- Disinfection shower with red hose 2,000 mm (6' 7") and self-closing valve on handle
- Disinfectant system has an empty level alert that is displayed through the console
- Programmable contact time from 1 to 60 minutes
- Display shows elapsed contact time in one minute increments
- Refill of tub not possible until the disinfectant procedure has been fully completed
- Full tub does not allow procedure of disinfection
- Shower bracket on console with integrated draining tray for residual water from shower head
- System suitable for 5 L containers

**Make: Krämer**  
**Type: GK MAGIC 3000 D**  
**Art.No.: 4.300.10**

#### Shampoo- and Bathoil Dispenser

- Built in shampoo and bath additive dispenser
- Activation via touch panel

**Make: Krämer**  
**Type: GK MAGIC 3000 SHA**  
**Art.No.: 4.300.20**

#### Hydromassage with 5 Jets

- Patented jet system, no plumbing or tubing running between jets with five nozzles, one in foot area, two of each on left and right side
- Each jet acts as a toggle and can be turned on/off individually
- Treatment duration and intensity linearly adjustable via touch panel
- Automatic shut off of jets if water drains
- Automatic draining of standing water in jets after disinfection
- Removable jet covers for easier cleaning

**Make: Krämer**  
**Type: GK MAGIC 3000 H5**  
**Art.No.: 4.300.40**

#### Ultrasound System

- Ultra sound emitter build into the foot end of the tub
- Can be activated only if there is enough water in the tub

**Make: Krämer**  
**Type: GK MAGIC 3000 US**  
**Art.No.: 4.300.50**

### **Aroma Therapy**

*(only in connection with hydromassage)*

- releases a provided aroma (e.g. essential oil) into the bathing water through the use of the hydro jet system
- aroma chamber for providing and refilling of the aroma is built into the tub edge

**Make: Krämer**  
**Type: GK MAGIC 3000 AT**  
**Art.No.: 4.000.80**

### **Tub Shorter Plate GK Magic**

- For smaller persons the foot space can be reduced by sliding the tub shorter plate, a plastic board with handle, into the corresponding incorporated grooves in the tub body.

**Make: Krämer**  
**Type: GK MAGIC 3000 WV**  
**Art.No.: 4.100.80**

### **Sound & Vision 4 Spots**

**Sound** – 2 loud speakers laminated into the tub on the right and left side; transmission of the sound waves into the water through the tub body used as sound body

- Individual music selection through build-in MP3 player with USB port
- Volume adjustment and track selection on the touch panel

**Vision** – 4 LED spotlights, integrated into the tub body, are flooding the bathing water with light in one of five pre-set colours or are shining in a gentle continuous colour change.

- Operation on/off/colour change on the touch panel

**Make: Krämer**  
**Type: GK MAGIC 3000 SV**  
**Art.No.: 1.500.60**

### **Connector with Massage Tube**

*(only in connection with hydro massage)*

- For pressure jet massage treatment including massage tube and nozzle

**Make: Krämer**  
**Type: GK MAGIC 3000 AK**  
**Art.No.: 1.500.70**

### **Head Rest**

- Can be fixed inside the tub via suction cup

**Make: Krämer**  
**Type: GK MAGIC 3000 KO**  
**Art.No.: 1.500.90**

### **Underwater Light with Colour Change**

- Build into the foot end of the tub
- Activated via touch panel
- Activation possible only after water reaches fill level
- Automatic shut off when bathing process is complete

**Make: Krämer**  
**Type: GK MAGIC 3000 UB**  
**Art.No.: 1.561.01**

**Backflow Preventer 12/12**

- Backflow preventer for the sanitary piping

**Make: Krämer**  
**Type: GK MAGIC 3000 SY**  
**Art.No.: 6.200.93**

**Surcharge Customized Tub Body GK Magic series**

- 25 cm shorter, 30 cm longer (requires floor or wall mounting) or “narrow edge” tub body (without handles) instead of the standard

**Make: Krämer**  
**Type: GK MAGIC 3000 AUF**  
**Art.No.: 4.200.AUF**

**Side door GK Magic series**

*(only with standard length)*

- Tub body with a side door as option to enter the tub from the side, operated manually

**Make: Krämer**  
**Type: GK MAGIC 3000 TÜR**  
**Art.No.: 4.100.83**

**Foot switch pneumatic**

*(only with side door)*

- Foot switch for raising and lowering the tub additionally to the control panel, operated with air pressure for more safety

**Make: Krämer**  
**Type: GK MAGIC 3000 FP**  
**Art.No.: FUSS**