Product Specifications

Lifting Bathtub GK BASIC+

Description

- Tub body and casing constructed of fibreglass with a gelcoated surface
- Frame made of stainless steel
- 4 height-adjustable feet
- Circulating rubber protection for tub
- Ergonomically designed tub ensures greater movement for user and ease of use by the care giver
- Touch panel for operating of up/down-function located on both long sides
- Tub fill via integrated fill-in shell
- Patient shower with white hose 2,100 mm (6' 11") and self-closing valve
- Manual drain assembly
- Two electric actuators for height-adjustment to any level
- Standard, commercially available valves and fittings
- System is free-standing, operable from all 4 sides
- No fittings projecting upwards

Technical Specifications

Connections:

- Hot and cold water, connector 1/2"
- Drain Ø 50 mm (2")
- Electrical requirements 230 V / 50 Hz; for other countries 115 V / 60 Hz

Dimensions:

Width: 830 mm, Length: 1970 mm

Working height:

- Adjustable from 675 mm - 925 mm

Capacity of Bath Tub:

Approx. 180 litres

Certificates

- ÖVGW, CE mark

Make: Krämer Type: GK BASIC+ Art.No.: 3.900.00

Product Specifications

Options for GK BASIC+

Injector Disinfection

- Disinfection shower, operated via a manual shut-off valve, with red hose 2,000 mm (6' 7") and self-closing valve on handle
- System suitable for 1 L containers
- Feed of the disinfection liquid via injector and adjustable flow gauge

Make: Krämer
Type: GK BASIC+ D
Art.No.: 3.900.10

Hydromassage with 2 Jets

- Patented jet system, no plumbing or tubing running between jets, self-draining and disinfect able,
 ergonomically integrated with 2 jets in foot area of the tub
- Direction of jets adjustable
- Flow rate up to 1.5 L/s at a pressure regulation of 0 3 bar
- Removable jet covers for easier cleaning

Make: Krämer

Type: GK BASIC+ H2 Art.No.: 3.900.30

Pre Fill

- The tub fill, operated via chromed buttons, stops automatically at a pre-set level.
- A manual interruption is possible at any time (refill via shower).

Make: Krämer

Type: GK BASIC+ FÜ Art.No.: 3.900.60

Tub Shorter Plate GK Basic+

 For smaller persons the foot space can be reduced by sliding the tub shorter plate, a plastic board with handle, into the corresponding incorporated grooves in the tub body.

Make: Krämer

Type: GK BASIC+ WV

Art.No.: 3.900.80

Connector with Massage Tube

(only in connection with hydro massage)

- For pressure jet massage treatment including massage tube and nozzle

Make: Krämer

Type: GK BASIC+ AK

Art.No.: 1.500.70

Head Rest

- Can be fixed inside the tub via suction cup

Make: Krämer

Type: GK BASIC+ KO

Art.No.: 1.500.90

Underwater Light with Colour Change

- Build into the foot end of the tub

Activated via touch panel

Make: Krämer

Type: GK BASIC+ UB

Art.No.: 1.561.01

Safety Bar in Pairs

- Two grab handles for additional support

Make: Krämer

Type: GK BASIC+ HA

Art.No.: 3.800.40

Backflow Preventer 12/12

- Backflow preventer for the sanitary piping

Make: Krämer

Type: GK BASIC+ SY

Art.No.: 6.200.93

Turn Button Special 42 °C

- Temperature adjustment with more security; without special tools it cannot be turned up to more than 42 °C (value adjustable)

Make: Krämer

Type: GK BASIC+ DS42

Art.No.: 4.201.03